



Dirk Hahn




# RumA Reinigungstechnik GmbH



## RumA Reinigungstechnik GmbH

Holcimstrasse 1

78187 Geisingen



# 信条



- » We are a manufacturer of high quality cleaning units in the reconditioning of coolant lubricants and of filtration technology.
- » 我们是一家生产高质量的用于延长金属加工液使用寿命的过滤单元的和过滤技术的厂家.
- » We see ourselves as a partner for our customers to solve their problem definitions.
- » 我们将自己视为为客户解决问题的合作伙伴.




# 世界范围内的RumA使用




图为安装有RumA 过滤系统的国家




# 离心机



# 应用范围



Metal processing  
金属加工



Forming  
成形加工



Oil recovery  
油回收



Glass processing  
玻璃加工




Medical industry  
医疗行业



Jewelry- and Watchmaking  
珠宝和制表



Processing of Minerals  
矿物加工




Washes  
洗涤



Water Protection  
水质保护

# 应用范围



# 应用范围

## 成本最小化

- » No filter aids such as papers, textiles and diatomite needed
- » 不需要纸张，纺织品或硅藻土等助滤剂
- » Very high degree of cleaning
- » 非常高的过滤精度
- » Reutilization of cleaned liquids, hence increase of service life
- » 加工液的再利用，提高使用寿命
- » Low disposal costs due to low residual moisture of separated solids
- » 分离后的残留水分含量低，处理成本低
- » Reduced wearing on tools and production machines
- » 减少工具和加工机器的磨损


## 保护人类和自然

- » Reduction of bacterial growth in the process liquid, thus avoiding skin diseases and offensive smells
- » 减少加工液中的细菌生长，从而避免皮肤病和难闻的气味
- » Lower consumption of fresh water, oil and chemicals
- » 降低淡水，石油和化学品的使用
- » No disposal of filter aids
- » 无需处理助滤剂






# 分离曲线图



# 运行



# 运行



# 运行



# 型号



	MZ 35	MZ 70	MZ 90	MZ 150
<b>流量</b>				
粘度 1cSt (1° E)	35 l/min	70 l/min	90 l/min	150 l/min
粘度 21cSt (3° E)	20 l/min	50 l/min	60 l/min	120 l/min
粘度 60cSt (8° E)	10 l/min	30 l/min	40 l/min	80 l/min
<b>转速</b>	4460 min <sup>-1</sup>	2780 min <sup>-1</sup>	3620 min <sup>-1</sup>	3000 min <sup>-1</sup>
<b>分离因素</b>	2000 g	1100 g	1800 g	1800 g
<b>转鼓容量</b>	1,0 dm <sup>3</sup>	3,0 dm <sup>3</sup>	3,0 dm <sup>3</sup>	10,0 dm <sup>3</sup>



# 组合系统



# 组合系统



# 谢谢大家!

RumA中国营销中心

无锡斯特姆科技有限公司

地址：中国江苏省无锡市新吴区，  
长江路21-1号，504室

电话：+86 0510 85222260

邮箱：info@stormmach.com

网址：www.stormmach.com

